

The considered IDS of 3-13-2006 which was previously not considered is included in this communication.

It is realized that the page numbers of the cited European Chemical News article were incorrect thereon and that the article was submitted along with an IDS bearing the correct citation on 11-2-2006 which has already been considered..

A copy of the Abstract of the Japanese patent publication cited on said IDS of 3-13-2006 has been received along with the already considered IDS of 12-24-2008 which also cites this same Japanese patent publication.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Bernard Dentz whose telephone number is 571-272-0683. The examiner can normally be reached on Mon-Fri from 8 to 4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Janet Andres, can be reached on 571 272-0867. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Application/Control Number: 10/571,471  
Art Unit: 1625

Page 3

/ Bernard Dentz/

Primary Examiner, Art Unit 1625